

Revision Date: 02/20/2018

SAFETY DATA SHEET

1. Identification

Identification

Product name: AEON PD-XD

Additional identification

Chemical name: Mixture

Recommended use and restriction on use

Recommended use: Formulated Industrial Lubricant

Restrictions on use: None identified.

Details of the supplier of the safety data sheet

Supplier

Company Name: Gardner Denver, Inc

Address: 1800 Gardner Expressway

Quincy, IL 62305

US

Telephone: 217-222-5400

Emergency telephone number:

FOR TRANSPORT EMERGENCY CALL CHEMTREC (+1)703 527 3887, OR WITHIN USA 800 424 9300

2. Hazard(s) identification

Hazard Classification

Not classified

Label Elements:

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: not applicable

Precautionary Statements: not applicable

Other hazards which do not result

in GHS classification:

None identified.

3. Composition/information on ingredients

Chemical name	CAS number	Percent by Weight
---------------	------------	-------------------

SDS_US - AEON PD-XD 1/11



Revision Date: 02/20/2018

Mineral oil	Not determined.	1 - 5%



Revision Date: 02/20/2018

Aryl thiophosphate 597-82-0 0.5 - 1%

The mineral oil contained in this material may be described by one or more of the following CAS Nos.: 64742-54-7, 64742-65-0, 64742-55-8, and 64742-56-9.

4. First-aid measures

Ingestion: Treat symptomatically. Get medical attention.

Inhalation: Remove exposed person to fresh air if adverse effects are observed.

Skin Contact: Wash with soap and water. If skin irritation occurs, get medical attention.

Launder contaminated clothing before reuse.

Eye contact: Any material that contacts the eye should be washed out immediately with

water. If easy to do, remove contact lenses.

Most important symptoms/effects, acute and delayed

Symptoms: See section 11.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically.

5. Fire-fighting measures

General Fire Hazards: Use water to cool containers exposed to fire.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

CO2, dry chemical, foam, water spray, water fog.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

A solid stream of water will spread the burning material. Material creates a special hazard because it floats on water. See section 10 for additional

information.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective

equipment for fire-fighters:

Recommend wearing self-contained breathing apparatus.

SDS_US - AEON PD-XD 3/11



Revision Date: 02/20/2018

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas.

Methods and material for containment and cleaning up:

Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.

Environmental Precautions:

Avoid release to the environment. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling:

Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment.

Open container in a well ventilated area. Avoid breathing vapors. Keep containers closed when not in use. Do not discharge into drains or the environment, dispose to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Avoid prolonged exposure to heat and air. Avoid eye contact. Avoid repeated or prlonged skin contact. When using do not eat, drink or smoke. Avoid inhalation of aerosol, mist, spray, fume or vapor. Wash thoroughly after handling. Launder contaminated clothing before reuse. Use grounding and bonding connection when transferring material.

Maximum Handling Temperature:

Not determined.

Conditions for safe storage, including any incompatibilities:

Store away from incompatible materials. Keep material from heat, light, sparks and flame. Store separately from oxidizers. Store in dry, well ventilated place away from sources of heat and direct sunlight. See section

10 for incompatible materials.

Maximum Storage Temperature: Not determined.

SDS_US - AEON PD-XD 4/11



Revision Date: 02/20/2018

8. Exposure controls/personal protection

Control Parameters:

Occupational Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Mineral oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (02 2012)
Mineral oil - Mist.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Mineral oil - Mist.	STEL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Mineral oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)

Appropriate engineering

controls:

Adequate ventilation should be provided so that exposure limits are not exceeded. Mechanical ventilation or local exhaust ventilation may be

required.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required.

Eye/face protection: If contact is likely, safety glasses with side shields are recommended.

Skin Protection

Hand Protection: Nitrile. Consult clothing/glove manufacturer to determine appropriate type of

glove for given situation. Gloves should always be inspected before each

use and discarded if they show tears, pinholes, or signs of wear.

Other: Long sleeve shirt is recommended. Wear apron or protective clothing in case

of contact. Use good industrial hygiene practices. In case of skin contact, wash hands and arms thoroughly with soap and water to prevent a skin

reaction.

Respiratory Protection: Consult with an industrial hygienist to determine the appropriate respiratory

protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state:liquidForm:liquidColor:Green

Odor: Characteristic

SDS_US - AEON PD-XD 5/11



Revision Date: 02/20/2018

Odor threshold:No data available.pH:No data available.Freezing point:No data available.Boiling Point:No data available.

Flash Point: 486 °F (252 °C) (Cleveland Open Cup)

Evaporation rate:No data available. **Flammability (solid, gas):**No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

No data available.

No data available.

Vapor pressure:

Vapor density:

Relative density:

No data available.

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Partition coefficient (n-octanol/water):
No data available.
Auto-ignition temperature:
No data available.
Decomposition temperature:
No data available.

Viscosity: 292 mm2/s (104 °F (40 °C)) 37.50 - 40 mm2/s (100 °C (212

°F))

Other information

Bulk density: 7.16 lb/gal 60.1 °F (15.6 °C)

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Will not occur.

Conditions to avoid: Do not expose to excessive heat, ignition sources, or oxidizing materials.

Incompatible Materials: Strong bases. Strong mineral acids and strong oxidizing agents.

Hazardous Decomposition

Products:

Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion.

11. Toxicological information

SDS_US - AEON PD-XD 6/11



Information on likely routes of exposure

Version: 3.0

Revision Date: 02/20/2018

SDS_US - AEON PD-XD 7/11



Revision Date: 02/20/2018

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data.

Dermal

Product: Not classified for acute toxicity based on available data.

Inhalation

Product: Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product: Prolonged or repeated contact may cause irritation. Prolonged or

repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and

cracking of the skin.

Serious Eye Damage/Eye Irritation:

Mineral oil Classification: Not irritating (Read across); Rabbit.

Aryl thiophosphate Classification: Not irritating (Literature); Rabbit.

Respiratory sensitization:

No data available

Skin sensitization:

Mineral oil Classification: Not a skin sensitizer. (Read across)

Aryl thiophosphate Classification: Not a skin sensitizer. (Read across)

Specific Target Organ Toxicity - Single Exposure:

Product: If material is misted or if vapors are generated from heating,

exposure may cause irritation of mucous membranes and the upper

respiratory tract.

Mineral oil If material is misted or if vapors are generated from heating,

exposure may cause irritation of mucous membranes and the upper

respiratory tract.

Aspiration Hazard:

Mineral oil Material can be aspirated into the lungs during the act of swallowing

or vomiting. This could result in severe injury to the lungs and death.



Revision Date: 02/20/2018

Chronic Effects

Carcinogenicity:

Product: This product contains mineral oils which are severely refined and not

considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346

test.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity:

Aryl thiophosphate This material has not exhibited mutagenic or genotoxic potential in

laboratory tests.

Reproductive toxicity:

Aryl thiophosphate Suspected of damaging fertility.

Repeated oral gavage dosing of laboratory animals with aryl thiophosphate in a reproductive/developmental toxicity screening study resulted in litter loss and decreases in number of implantation

sites at high doses.

Carboxylic ester Not Classified based on available data.

Specific Target Organ Toxicity - Repeated Exposure:

Aryl thiophosphate Repeated overexposure may result in liver and kidney damage.

12. Ecological information

Ecotoxicity

Fish

Mineral oil LC 50 (Fathead Minnow, 4 d): > 100 mg/l

Aryl thiophosphate LC 50 (Zebra Fish, 4 d): > 100 mg/l No toxicity at solubility limit.

Aquatic Invertebrates

Mineral oil EC 50 (Water flea (Daphnia magna), 2 d): > 10,000 mg/l

EC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l NOEC (Water flea (Daphnia magna), 21 d): > 10 mg/l

SDS_US - AEON PD-XD 9/11



Revision Date: 02/20/2018

Aryl thiophosphate EC 50 (Water Flea (Daphnia Magna), 2 d): > 100 mg/l No toxicity at

solubility limit.

NOEC (Water Flea (Daphnia Magna), 21 d): > 5.5 mg/l No toxicity at

solubility limit.

Toxicity to Aquatic Plants

Mineral oil EC 50 (Green algae (Scenedesmus quadricauda), 3 Days): > 100

mg/l

Aryl thiophosphate EC 50 (Green algae (Scenedesmus quadricauda), 3 d): > 100 mg/l

Toxicity to soil dwelling organisms

No data available

Sediment Toxicity

No data available

Toxicity to Terrestrial Plants

No data available

Toxicity to Above-Ground Organisms

No data available

Toxicity to microorganisms

Aryl thiophosphate EC 50 (Sludge, 3 h): > 100 mg/l

Persistence and Degradability

Biodegradation

Mineral oil OECD TG 301 B, 31 %, 28 d, Not readily degradable.

Aryl thiophosphate OECD TG 301 B, 17.8 - 19.3 %, 28 d, Not readily degradable.

OECD TG 302 C, 59.9 - 66.8 %, 28 d

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Aryl thiophosphate Fish, Bioconcentration Factor (BCF): 2,551 (Flow Through)

Partition Coefficient n-octanol / water (log Kow)

No data available

Mobility:

No data available

Other Adverse Effects: No data available.

13. Disposal considerations

Disposal instructions: Treatment, storage, transportation, and disposal must be in accordance

with applicable Federal, State/Provincial, and Local regulations.

Since emptied containers retain product residue, follow label warnings even

after container is emptied.

SDS_US - AEON PD-XD 10/11



Revision Date: 02/20/2018

Contaminated Packaging: Container p

Container packaging may exhibit hazards.



Revision Date: 02/20/2018

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

Transport in bulk according to Annex II of MARPOL and the IBC Code

None known

The DOT shipping information in this section is based on a bulk container. Please review the accompanying shipping papers for the correct shipping descriptions based the size of the package. Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. During transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4)

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 311 Classifications

Not classified

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Ethyl acrylate 8.00PPM Ethyl benzene 1.00PPM

SDS_US - AEON PD-XD 12/11



Revision Date: 02/20/2018

Inventory Status

Australia (AICS)

All components are in compliance with chemical notification requirements in Australia.

Canada (DSL/NDSL)

All substances contained in this product are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List (DSL) or are exempt.

China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

European Union (REACh)

To obtain information on the REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

Japan (ENCS)

This product contains a substance that is not listed on the Japanese Existing and New Chemical Substances (ENCS) list.

Korea (ECL)

All components are in compliance in Korea.

New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.

Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

Switzerland (SWISS)

All substances contained in this product are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland and approved for sale. However, third party importers must be notified to the manufacturer.

Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.

United States (TSCA)

All substances contained in this product are listed on the TSCA inventory or are exempt.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.


SDS_US - AEON PD-XD 13/11



Revision Date: 02/20/2018


16.Other information, including date of preparation or last revision

HMIS Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date: 02/20/2018

Version #: 3.0

Source of information: Internal company data and other publically available resources.

Further Information: Contact supplier (see Section 1)

Disclaimer: As the conditions or methods of use are beyond our control, we do not

assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains

the responsibility of the user.

SDS_US - AEON PD-XD 14/11